CONTENTS OF VOLUME 424

May 1990

ST JOHN Walter M. & ZHOU Dan Discharge of vagal pulmonary receptors differentially alters neural activities during various stages of expiration in the cat. 1

DEBNAM E.S., EBRAHIM H.Y. & SWAINE D.J. Diabetes mellitus and sugar transport across the brush-border and basolateral membranes of rat jejunal enterocytes. 13

BARKER D. & SCOTT J.J.A. Regeneration and recovery of cat muscle spindles after devascularization. 27

ISHIDA Yukisato & PAUL Richard J. Effects of hypoxia on high-energy phosphagen content, energy metabolism and isometric force in guinea-pig taenia caeci. 41

INOUE R. & ISENBERG G. Effect of membrane potential on acetylcholine-induced inward current in guinea-pig ileum. 57

INOUE R. & ISENBERG G. Intracellular calcium ions modulate acetylcholine-induced inward current in guinea-pig ileum. 73

GREGORY J.E., MARK R.F., MORGAN D.L., PATAK A., POLUS B. & PROSKE U. Effects of muscle history on the stretch reflex in cat and man. 93

LARSEN Erik Hviid, NOVAK Ivana & PEDERSEN Peter Steen Cation transport by sweat ducts in primary culture. Ionic mechanism of cholinergically evoked current oscillations. 109

EDMAN K.A.P. & LOU Fang Changes in force and stiffness induced by fatigue and intracellular acidificaton in frog muscle fibres. 133

IINO Masae, OZAWA Seiji & TSUZUKI Keisuke Permeation of calcium through excitatory amino acid receptor channels in cultured rat hippocampal neurones. 151

MENINI Anna Currents carried by monovalent cations through cyclic GMP-activated channels in excised patches from salamander rods. 167

OCHI Rikuo & KAWASHIMA Yuko Modulation of slow gating process of calcium channels by isoprenaline in guinea-pig ventricular cells. 187

SHUBA Yaroslav M., HESSLINGER Bernd, TRAUTWEIN Wolfgang, MCDONALD Terence F. & PELZER Dieter Whole-cell calcium current in guinea-pig ventricular myocytes dialysed with guanine nucleotides. 205

CLARK R.B., NAKAJIMA T., GILES W., KANAI K., MOMOSE Y. & SZABO G. Two distinct types of inwardly rectifying K^+ channels in bull-frog atrial myocytes. 229

BURTON F.L. & HUTTER O.F. Sensitivity to flow of intrinsic gating in inwardly rectifying potassium channel from mammalian skeletal muscle. 253

BITTAR E. Edward & NWOGA Jude A study of the ouabain-insensitive sodium efflux in barnacle muscle fibres using phorbol dibutyrate as a probe. 263

MILLER Sheldon S. & EDELMAN Jeffrey L. Active ion transport pathways in the bovine retinal pigment epithelium. 283

SYME Douglas A. Passive viscoelastic work of isolated rat, *Rattus norvegicus*, diaphragm muscle. 301

EDMONDS C.J. & WILLIS C.L. The effect of dietary sodium and potassium intake on potassium secretion and kinetics in rat distal colon. 317

KOLLAI Mark & MIZSEI Gabor Respiratory sinus arrhythmia is a limited measure of cardiac parasympathetic control in man. 329

BOUNTRA C., POWELL T. & VAUGHAN-JONES R.D. Comparison of intracellular pH transients in single ventricular myocytes and isolated ventricular muscle of guinea-pig. 343

HENNING B. & BOYETT M.R. The effect of heart rate on the arrhythmogenic transient inward current in isolated sheep cardiac Purkinje fibres. 367

DUCHEN Michael R. Effects of metabolic inhibition on the membrane properties of isolated mouse primary sensory neurones. 387

DUCHEN M.R., VALDEOLMILLOS M., O'NEILL S.C. & EISNER D.A. Effects of metabolic blockade on the regulation of intracellular calcium in dissociated mouse sensory neurones. 411

LUMB B.M. Hypothalamic influences on viscero-somatic neurones in the lower thoracic spinal cord of the anaesthetized rat. 427

KUME H., TAKAGI K., SATAKE T., TOKUNO H. & TOMITA T. Effects of intracellular pH on calcium-activated potassium channels in rabbit tracheal smooth muscle. 445

KANOSUE Kazuyuki, NAKAYAMA Teruo, TANAKA Hideto, YANASE Motoko & YASUDA Hiroki Modes of action of local hypothalamic and skin thermal stimulation on salivary secretion in rats. 459

BARKER P.M., STRANG L.B. & WALTERS D.V. The role of thyroid hormones in maturation of the adrenaline-sensitive lung liquid reabsorptive mechanism in fetal sheep. 473

APPS R., LIDIERTH M. & ARMSTRONG D.M. Locomotion-related variations in excitability of spino-olivocerebellar paths to cat cerebellar cortical c_2 zone. 487

DAVIES C.H., DAVIES S.N. & COLLINGRIDGE G.L. Paired-pulse depression of monosynaptic GABA-mediated inhibitory postsynaptic responses in rat hippocampus. 513

ITO I., TANABE S., KOHDA A. & SUGIYAMA H. Allosteric potentiation of quisqualate receptors by a nootropic drug aniracetam. 533

MAKINO C.L., KRAFT T.W., MATHIES R.A., LUGTENBURG J., MILEY M.E., VAN DER STEEN R. & BAYLOR D.A. Effects of modified chromophores on the spectral sensitivity of salamander, squirrel and macaque cones. 545

KURAHASHI T. Erratum: *Journal of Physiology* **419** (1989). 561

ALLEN D.G., LEE J.A. & WESTERBLAD H. Erratum: *Journal of Physiology* **415** (1989). 563

PROCEEDINGS OF THE PHYSIOLOGICAL SOCIETY

5–6 *January* 1990

Liverpool Meeting

DEMONSTRATIONS

Gallacher D.V., Osipchuk Y.V., Petersen O.H., Wakui M. & Yule D.I. A dual intracellular perfusion method combined with Fura-2$[Ca^{2+}]_i$ measurement for studying Ca^{2+}-induced Ca^{2+} oscillations in single mouse pancreatic acinar cells. 2*P*

Gayton R.J. & Taylor D.C.M. Microcomputer-based observation of sensory discharges in an isolated frog skin–nerve preparation. 3*P*

Garthwaite J., Gayton R.J. & Taylor D.C.M. A Peltier-based system for controlling the temperature of a grease-gap slice chamber. 4*P*

McNaughton L.A., Lagnado L., Socolovsky M., Hunt S.P. & McNaughton P.A. Use of the confocal microscope to measure changes in free $[Ca^{2+}]_i$ in type 1 astrocytes cultured from rat cerebral cortex. 5*P*

COMMUNICATIONS

Campbell B., Garner A. & Dockray G.J. The role of gastrin-releasing peptide in the hormonal control of pancreatic secretion in the anaesthetized turkey. 6*P*

Mitchell M.A. & Smith M.W. Jejunal alanine uptake and structural adaptation in response to genetic selection for growth rate in the domestic fowl (*Gallus domesticus*) *in vitro*. 7*P*

Levin R.J. & Young A. Cyclic AMP levels stimulated by secretagogues are greater in ileal enterocytes isolated from starved compared to fed rats. 8*P*

Pearson R.C. & McCloy R.F. Effect of intraluminal temperature on mucus, acid and bicarbonate secretions in the proximal gastrointestinal tract of the anaesthetized rat. 9*P*

Schnefel S., Pröfrock A., Hinsch K.-D. & Schulz I. Cholecystokinin activates different GTP-binding proteins (G proteins) in rat pancreatic acinar cells. 10*P*

Varro A., Bridson J., Nemeth J. & Dockray G.J. The influence of feeding and fasting on the phosphorylation of gastrin-related peptides in the pyloric antral mucosa of the rat. 11*P*

Forster E.R. The role of vasoactive intestinal polypeptide in the control of gastric emptying in the rat. 12*P*

Davison J.S., McIntosh C. & Sharkey K.A. Further evidence that vasoactive intestinal peptide (VIP) is an inhibitory transmitter to the muscle of the ferret gastric corpus *in vitro*. 13*P*

Grundy D., Read N.W. & Richards W.J. Discharge in mesenteric nerves from the ileum in response to luminal stimuli in the anaesthetized rat. 14*P*

Agulian S., Capasso G., Giebisch G. & Unwin R. Bicarbonate transport along the loop of Henle: effect of 'specific' transport inhibitors in the anaesthetized rat. 15*P*

Ward B.S., Glazier J.D., Sibley C.P. & Boyd R.D.H. Catecholamine-inhibitable stereotyped and repetitive alteration in fetomaternal potential difference (PD) in the conscious pig. 16*P*

El-Mir M.Y., Eleno N., Serrano M.A. & Marin J.J.G. Bile acid- and bicarbonate-induced modification of taurocholate efflux from human trophoblast basal plasma membrane vesicles. 17*P*

Lea E.J.A., Clunn G.F. & Lucas V.A. Bovine lens fibre channels reconstituted in bilayer membranes. 18*P*

Brown P.D. & Greenwood S.L. Chloride channels of high conductance in human placenta. 19*P*

Bouvier M.M., Evans M.L., Fowler K. & Benham C.D. Calcium influx induced by ATP receptor activation on neurones cultured from rat dorsal root ganglia. 20*P*

Martin S.C. ATP evoked potential and current changes dependent on $[Ca^{2+}]_i$ in the rat thyroid cell line FRTL-5. 21*P*

Inoue R. Purinergic receptor-operated currents recorded from single isolated cells of guinea-pig urinary bladder. 22*P*

Ecault E., Faivre J.-F., Findlay I. & Sauviat M.-P. Effects of a 'K-channel opener'. SR 44866, upon isolated frog skeletal muscle. 23*P*

Brown D.A. & Robbins J. Divalent and trivalent cations inhibit a voltage-dependent potassium current in rodent neuroblastoma × glioma hybrid (NG108-15) cells. 24*P*

Pralong W.-F. & Wollheim C.B. Sequence of events during nutrient activation of single rat islet β-cells monitored by microfluorimetry. 25*P*

de Weille Jan R. & Lazdunski Michel GDP and intracellular Cl^- depletion activate ATP-sensitive K^+ channels in insulinoma cells by inhibiting oxidative phosphorylation. 26*P*

Ashcroft Frances M., Fewtrell Clare, Oosawa Y., Rorsman P. & Smith P.A. ATP-regulated K channels modulate electrical activity in mouse isolated pancreatic β-cells. 27*P*

Frøkjær-Jensen J., Curry F.E. & Dissing S. Bradykinin-induced Ca^{2+} waves towards the nuclear region in cultured endothelial cells from human umbilical cord veins. 28*P*

Jacob Ron Ca^{2+} influx into histamine-stimulated single cultured human umbilical vein endothelial cells. 29*P*

Jacob Ron Kinetics of histamine-induced Ca^+ release during repetitive $[Ca^{2+}]_i$ spiking in single cultured human umbilical vein endothelial cells. 30*P*

Ivorra I. & Parker I. Simultaneous recording of membrane currents and intracellular free Ca^{2+} transients evoked by photolysis of caged compounds in isolated *Xenopus* oocytes. 31*P*

Ivorra I. & Parker I. Intracellular Ca^{2+} transients evoked by inositol trisphosphate in isolated *Xenopus* oocytes show a threshold and facilitation. 32*P*

Kong S.K., Choy Y.M., Fung K.P. & Lee C.Y. Evidence for calcium-induced calcium release and uptake involve two cytosolic calcium pools in murine macrophage tumour cell line PU5-1.8. 33*P*

Pruss Rebecca M. & Stauderman Kenneth A. Does mobilization of intracellular Ca^{2+} initiate Ca^{2+} entry in isolated bovine adrenal chromaffin cells? 34*P*

Ogden D.C., Capiod T., Walker J.W. & Trentham D.R. Activation of internal Ca release by inositol trisphosphate is followed by inhibition in guinea-pig isolated hepatocytes. 35*P*

Bird G., Thastrup O. & Putney J.W. Jr Cholinergically induced oscillations of cytosolic free calcium ($[Ca^{2+}]_i$) in single mouse exorbital lacrimal cells. 36*P*

Kase H. & Petersen O.H. Phorbol esters acutely inhibit the stimulant-evoked increase in isolated Ca^{2+}-dependent Cl^- current in mouse pancreatic acinar cells. 37*P*

Osipchuk Y., Petersen O.H. & Wakui M. Oscillations in Ca^{2+}-dependent Cl^- current evoked by infusion of inositol trisphosphate or Ca^{2+} into single mouse pancreatic acinar cells via a patch-clamp pipette. 38*P*

Smith G.L., Crichton C.A., McGrath J.C. & Miller D.J. GTP diminishes the noradrenaline response in isolated rat anococcygeus muscle permeabilized by α-toxin treatment. 39*P*

Scott R.H. & Dolphin A.C. Voltage-dependent modulation of cultured rat sensory neurone calcium channel currents by G protein activation: differential effects on kinetics and amplitude. 40*P*

Fulceri R., Bellomo G., Romani A., Mirabelli F. & Benedetti A. Concerted operation of GTP, phosphates, glucose 6-phosphate and cytosol in regulating Ca^{2+} distribution among different 'microsomal' pools in rat liver. 41*P*

MacEwan D.J. & Mitchell R. Inhibition of depolarization-induced calcium influx into GH_3 cells by arachidonic acid may involve direct activation of protein kinase C. 42*P*

Johnson M.S., MacEwan D.J., Mitchell R. & Thomson F.J. Effects of calmodulin antagonists on neurohormone-induced $^{45}Ca^{2+}$ influx into rat anterior pituitary tissue *in vitro*. 43*P*

Krishnamurthi Sushila & Wheeler-Jones Caroline P.D. Role of high-affinity receptor binding in thrombin-induced human platelet activation responses. 44*P*

Lindau Manfred & Nüsse Oliver Interaction of calcium transients and exocytosis in single human neutrophils. 45*P*

Grove E.A. & Halliwell J.V. Two inward rectifier currents revealed in CA1 neurones of the rat hippocampus *in vitro*. 46*P*

Hounsgaard J. & Kiehn O. Evidence for voltage-sensitive sodium channels and N- and L-like calcium channels in distal dendrites of spinal motoneurones in an *in vitro* preparation from the turtle. 47*P*

McNaughton L.A., Lagnado L., Socolovsky M., Hunt S.P. & McNaughton P.A. Glutamate elevates free $[Ca]_i$ in type 1 astrocytes cultured from rat cerebral cortex. 48*P*

Garthwaite J. & Southam E. Nitric oxide synthesis on activation of quisqualate receptors in adult rat cerebellar slices. 49*P*

Garthwaite G., Garthwaite J. & Hajos F. Selective morphological changes in the endoplasmic reticulum of rat cerebellar Purkinje cells induced by calcium deprivation *in vitro*. 50*P*

Reiser Georg Endothelin raises levels of cytosolic Ca^{2+} activity and of inositol phosphates in neural cell lines. 51*P*

Marshall I.G., Prior C. & Searl T. The effects of (−)-vesamicol on miniature endplate current amplitudes in the rat hemidiaphragm. 52*P*

Al-Amood W.S. & Lewis D.M. Possible effect of a nerve extract on tension development of rat muscle. 53*P*

Collings D. & Montgomery A. The time course of thyroid hormone-induced changes in mechanical and histochemical properties of hypothyroid rat soleus muscles. 54*P*

Flitney F.W. & Jones D.A. Force production during stretch of active, fatigued, isolated mouse soleus muscles. 55*P*

MacLennan P.A., McArdle A. & Edwards R.H.T. *Mdx* mouse – studies of protein degradation in isolated muscles. 56*P*

MacLennan P.A. & Edwards R.H.T. *Mdx* mouse – protein synthetic rate is raised in skeletal muscle, but not in heart, liver or brain. 57*P*

Andjelkovic I.Z., Collis C.S., Rosic M.A., Segal M.B. & Zlokovic B.Z. Effects of Nα methyl histamine on the isolated guinea-pig heart, evidence for H_3-histamine receptors. 58*P*

Nye P.C.G. & Robertson B.E. Reversal of hypoxic vasoconstriction in the isolated rat lung by pentobarbitone. 59*P*

Bettaney J., Dickenson A., Dray A. & Hughes C. Antinociception induced by the capsaicin analogue, olvanil: peripheral and central sites of action studied *in vivo* in adult rats and *in vitro* using neonatal rat. 60*P*

Midtgaard Jens Electrophysiological response properties of inhibitory interneurones in the turtle cerebellar cortex *in vitro*. 61*P*

Nowicky Alexander V., Berry Richard & Teyler Timothy J. Noradrenaline and isoprenaline produce reversible enhancement of synaptic responses in rat visual cortex *in vitro*. 62*P*

McEwen B.S., Nyborg H., Pavlides C. & Westlind-Danielsson A. Neonatal triiodothyronine (T_3) treatment disrupts hippocampal long-term potentiation (LTP) and spatial memory in the anaesthetized rat. 63*P*

Walsh E.G., Elton R., Wright G.W. & Powers N. Physiological tremor in Edinburgh medical students. 64*P*

Amassian V.E., Cracco J.B., Cracco R.C. & Maccabee P.J. Magnetic coil stimulation of human premotor cortex affects sequential digit movements. 65*P*

Lennard R., Salido G.M. & Singh J. Effects of histamine on amylase secretion and calcium mobilization in the isolated guinea-pig pancreas. 66*P*

Ashcroft Frances M., Kelly R.P. & Smith P.A. Rat isolated pancreatic β-cells possess both L- and T-type Ca channels. 66*P*

POSTER COMMUNICATIONS

Lennard R. Anomalous thermally dependent contractions in isolated flounder gut are mediated by calcium channels and affected by thermal acclimation. 67*P*

Ruparelia V.A. & O'Máille E.R.L. High biliary bicarbonate concentration and hypercholeresis induced by a bisnor-bile acid derivative in the anaesthetized rat. 68*P*

Steward M.C., Seo Y., Murakami M. & Watari H. Effect of acetylcholine on unidirectional Rb^+ fluxes in the isolated, perfused rat mandibular salivary gland studied by ^{87}Rb NMR spectroscopy. 69*P*

Watkinson A. & Jönsson A.-C. The identification and distribution of pancreastatin and other chromogranin A-derived peptides in bovine stomach. 70*P*

McKirdy H.C., McKirdy Mairi L., Marshall R.W. & Taylor B.A. *In vitro* evidence for a possible non-adrenergic inhibitory innervation of human gallbladder muscle. 71*P*

Lea E.J.A., Clunn G.F., Tickner A. & Horne R.W. Reconstituted gap junctions: voltage dependence and structure. 72*P*